In the Claims

Claims Status

- 1 [0400] 1.(currently amended) A nano-structure composition comprising a nano-particle core
 2 and a nano-shell nano-structure formed an outer surface of the core, where the nano-particle core
 3 comprises a first conductive material and the nano-shell structure comprises a second conductive
 4 material, where the first and second conductive materials are the same or different.
 - [0401] 2.(canceled)
 - [0402] 3.(canceled)
 - [0403] 4.(canceled)
 - [0404] 5.(canceled)
 - [0405] 6.(canceled)
 - [0406] 7.(canceled)
 - [0407] 8.(canceled)
 - [0408] 9.(canceled)
 - [0409] 10.(canceled)
- 1 [0410] 11.(original) A nano-structure composition comprising a nano-particle core and a plurality
- of nano-rods, where the nano-particle core comprises a first material and the nano-rods comprises
- 3 a first conductive material.
- 1 [0411] 12. The composition of claim 11, further A nano-structure composition comprising a
- 2 nano-particle core, a nano-shell interposed between the core and the nano-rods and a plurality of
- 3 nano-rods, where the nano-particle core comprises a first material, the nano-shell comprises a first
- 4 conductive material and the nano-rods comprise a second conductive material, where the first and
- 5 second conductive materials are the same or different.
 - [0412] 13.(canceled)
 - [0413] 14.(canceled)
 - [0414] 15.(canceled)

- [0415] 16.(canceled) [0416] 17.(canceled)
- [0417] 18.(canceled)
- [0418] 19.(canceled)
- [0419] 20.(canceled)
- [0420] 21.(canceled)
- [0421] 22.(canceled)
- [0422] 23.(canceled)
- [0423] 24.(canceled)
- [0424] 25.(canceled)
- [0425] 26.(canceled)
- [0426] 27.(canceled)
- [0427] 28.(canceled)
- [0428] 29.(canceled)
- [0429] 30.(canceled)
- 1 [0430] 31.(new) The composition of claim 1, wherein the nano-structure is selected from the
- 2 group consisting of a nano-shell, a plurality of nano-rods and a nano-shell having a plurality of nano-
- 3 rods disposed on a surface of the nano-shell, where the nano-rods comprise a third conductive
- 4 material, where the first, second and third conductive materials are the same or different.
- 1 [0431] 32.(new) The composition of claim 1, wherein the first conductive material comprises
- a first metal, metal alloy or a conductive polymer and the second conductive material comprises a
- 3 second metal or metal alloy.
- 1 [0432] 33.(new) The composition of claim 31, wherein the first conductive material comprises
- a first metal, metal alloy or a conductive polymer, the second conductive material comprises a
- 3 second metal or metal alloy, and the third conductive material comprises third metal or metal alloy,
- 4 where the first, second and third metals and/or metal alloys are the same or different.

1	[0433] 34.(new) The composition of claim 32, wherein the first, second and third metals or
2	metal alloys are the same or different noble metals or metal alloys, where the noble metal are
3	selected from the group consisting of gold, silver, platinum, palladium, iridium, osmium, ruthenium,
4	rhodium, and mixtures or combinations thereof.
1	[0434] 35.(new) The composition of claim 33, wherein the first, second and third metals or
2	metal alloys are the same or different noble metals or metal alloys, where the noble metal are
3	selected from the group consisting of gold, silver, platinum, palladium, iridium, osmium, ruthenium,
4	rhodium, and mixtures or combinations thereof.
1	[0435] 36.(new) The composition of 1, wherein the first metal and first metal alloy are selected
2	respectively from the group consisting of non-transition metals, non-transition metal alloys,
3	transition metals, transition metal alloys, lanthanide metals, lanthanide metal alloys, actinide metals,
4	and actinide metal alloys.
1	[0436] 37.(new) The composition of 31, wherein the first metal and first metal alloy are
2	selected respectively from the group consisting of non-transition metals, non-transition metal alloys,
3	transition metals, transition metal alloys, lanthanide metals, lanthanide metal alloys, actinide metals,
4	and actinide metal alloys.
1	[0437] 38.(new) The composition of 1, wherein the nano-structure has a plasmon resonance
2	having a frequency range at least a portion of which lies in the near infrared region of the
3	electromagnetic spectrum.
1	[0438] 39.(new) The composition of 31, wherein the nano-structure has a plasmon resonance

[0439] 40.(new) A nano-structure composition comprising a nano-particle core, a nano-

having a frequency range at least a portion of which lies in the near infrared region of the

structure formed an outer surface of the core and a bio-compatible polymer coating the structure and the core, where the nano-structure is selected from the group consisting of a nano-shell, a plurality

electromagnetic spectrum.

2

3

1

2

3

4 of nano-rods and a nano-shell having a plurality of nano-rods disposed on a surface of the nano-shell, 5 where the nano-particle core comprises a first material, the nano-shell comprises a second conductive 6 material, and the nano-rods comprise a third conductive material, where the second and third 7 conductive materials are the same or different. 1 The composition of claim 40, wherein the first material is a non-conductive [0440] 41.(new) 2 material, a semi-conductor material or a conductive material. 1 The composition of claim 41, wherein the first conductive material comprises [0441] 42.(new) 2 a first metal, metal alloy or a conductive polymer, the second conductive material comprises a 3 second metal or metal alloy, and the third conductive material comprises third metal or metal alloy, 4 where the first, second and third metals and/or metal alloys are the same or different. 1 [0442] 43.(new) The composition of claim 42, wherein the first, second and third metals or 2 metal alloys are the same or different noble metals or metal alloys, where the noble metal are 3 selected from the group consisting of gold, silver, platinum, palladium, iridium, osmium, ruthenium, 4 rhodium, and mixtures or combinations thereof. 1 [0443] 44.(new) The composition of 41, wherein the first metal and first metal alloy are 2 selected respectively from the group consisting of non-transition metals, non-transition metal alloys, 3 transition metals, transition metal alloys, lanthanide metals, lanthanide metal alloys, actinide metals, 4 and actinide metal alloys. 1 [0444] 45.(new) The composition of claim 40, wherein the nano-structure has a plasmon 2 resonance having a frequency range at least a portion of which lies in the near infrared region of the 3 electromagnetic spectrum. 1 [0445] 46.(new) A nano-structure drug-delivery composition comprising a nano-particle core.

a nano-structure, a bio-compatible polymer coating and a pharmaceutically active agent impregnated

into the polymer coating, where the nano-structure is selected from the group consisting of a nano-

shell, a plurality of nano-rods and a nano-shell having a plurality of nano-rods disposed on a surface

2

3

4

5	of the nano-shell, where the nano-particle core comprises a first material, the nano-shell comprises
5	a second conductive material, and the nano-rods comprise a third conductive material, where the
7	second and third conductive materials are the same or different

[0446] 47.(new) A nano-structure drug-delivery composition comprising a nano-particle core, a nano-structure formed on an outer surface of the core, and a pharmaceutically active agent absorbed or attached thereto, where the nano-structure is selected from the group consisting of a nano-shell, a plurality of nano-rods and a nano-shell having a plurality of nano-rods disposed on a surface of the nano-shell, where the nano-particle core comprises a first material, the nano-shell comprises a second conductive material, and the nano-rods comprise a third conductive material, where the second and third conductive materials are the same or different.

[0447] 48.(new) A method for treating cancers or diseases comprising: administering a composition to an animal including a human and

exposing the composition to an electromagnetic, magnetic, electrical and/or ultrasonic field so that the nano-structures convert the field into thermal energy,

where the composition comprises a nano-particle core, a nano-structure formed an outer surface of the core and a bio-compatible polymer coating the structure and the core or a pharmaceutically active agent absorbed or attached thereto, where the nano-structure is selected from the group consisting of a nano-shell, a plurality of nano-rods and a nano-shell having a plurality of nano-rods disposed on a surface of the nano-shell, where the nano-particle core comprises a first material, the nano-shell comprises a second conductive material, and the nano-rods comprise a third conductive material, where the same or different.

Date: September 28, 2006

Respectfully submitted,

Robert W. Strozier, Reg. No. 34,024 Attorney for Applicants